



Da Vinci
exclusive marble



Colorker®

The first part of the document discusses the importance of maintaining accurate records of all transactions. It emphasizes that every sale, purchase, and payment must be properly documented to ensure the integrity of the financial statements. This includes recording the date, amount, and purpose of each transaction.

The second part of the document provides a detailed breakdown of the company's revenue streams. It identifies the primary sources of income and analyzes their contribution to the overall financial performance. This section also includes a comparison of current revenue trends with historical data to identify any significant changes or patterns.

The third part of the document focuses on the company's operating expenses. It details the various costs incurred in the course of business operations, such as salaries, rent, utilities, and marketing. This analysis helps in understanding the efficiency of the company's spending and identifying areas for potential cost reduction.

The fourth part of the document discusses the company's profit margins. It calculates the gross profit, operating profit, and net profit, providing a clear picture of the company's profitability. This section also includes a discussion on the factors that influence these margins and the company's strategies to improve them.

The fifth part of the document addresses the company's financial position and liquidity. It examines the balance sheet, showing the company's assets, liabilities, and equity. This analysis is crucial for assessing the company's ability to meet its short-term and long-term obligations.

The sixth part of the document discusses the company's cash flow. It details the inflows and outflows of cash, providing insight into the company's ability to generate and manage its cash resources. This section also includes a discussion on the company's financing activities and its impact on the cash flow.

The seventh part of the document provides a summary of the company's financial performance and outlook. It highlights the key findings from the previous sections and offers a perspective on the company's future prospects. This section also includes a discussion on the risks and opportunities that may affect the company's financial performance in the coming years.

Time to inspire♦



DA VINCI

EN Da Vinci is a marble inspired by volcanic Patagonia quartzite extracted from quarries in Brazil.

Da Vinci showcases striking interwoven shapes and colours: notes of white, black, beige and brown, alternating with translucent grey quartz, pierced by golden veins.

Da Vinci is ideally used for interiors. Its breathtaking design unfolds its potential in vast spaces where its large shapes are exhibited unyieldingly.

DE Da Vinci ist ein Marmor, der von dem in Brasilien gewonnenen patagonischen Quarzit vulkanischen Ursprungs inspiriert ist.

Da Vinci präsentiert eine außergewöhnliche Verflechtung von Formen und Farben: Noten von Weiß, Schwarz, Beige und Braun im Wechselspiel mit Teilen von durchscheinendem grauem Quarz und von goldenen Adern durchzogen.

Da Vinci eignet sich ideal für Innenräume. Sein spektakuläres Aussehen entfaltet sein volles Potenzial insbesondere in weiten Räumen, wo seine großflächigen Formate intensiver wirken.

SP Da Vinci es una mármol inspirado en la cuarcita patagónica de origen volcánico extraída en Brasil.

Da Vinci presenta un extraordinario entrelazamiento de formas y colores: notas de blanco, negro, beige y marrón, alternando con partes de cuarzo gris translúcido y atravesadas por vetas doradas.

El uso ideal de Da Vinci es en interiores. Su espectacular diseño despliega su potencial en espacios amplios donde sus grandes formatos lucen con más intensidad.

FR Da Vinci est un marbre inspiré du quartzite de Patagonie, d'origine volcanique, extrait au Brésil.


Da Vinci présente un incroyable entrelacement de formes et de couleurs : des notes de blanc, de noir, de beige et de marron avec des parties de quartz translucide, tigrées de veines dorées. Da Vinci est idéal en utilisation intérieure. Son design spectaculaire révèle tout son potentiel dans les espaces vastes, où son grand format s'exprime dans toute son intensité.


RS Da Vinci — керамогранит под мрамор, вдохновленный кварцитом Патагония вулканического происхождения, добываемым в Бразилии.

Поверхность Da Vinci отличается сочетанием различных форм и цветов: оттенки белого, черного, бежевого и коричневого перемежаются с прозрачными вставками серого кварца и золотыми прожилками.

Da Vinci лучше всего подходит для отделки интерьеров. Потрясающий дизайн поверхности этого керамогранита раскрывается в полной мере в просторных помещениях, где большой формат плитки смотрится наиболее эффектно.






 Da Vinci White 60 x 120^R

 Da Vinci White 120 x 120^R






 Da Vinci White 120 x 120^R



 Trento White 31,6 x 100^R
 Da Vinci White 31,6 x 100^R
 Da Vinci White 59,5 x 59,5^R



-  Elba White 31,6 x 100^R
-  Da Vinci White 31,6 x 100^R
-  Da Vinci White 59,5 x 59,5^R

Da Vinci White



31,6 x 100^R / 12,4" x 39,4"

224167 | **M75**



TRENTO WHITE

31,6 x 100^R / 12,4" x 39,4"

224171 | **M77**



ELBA WHITE

31,6 x 100^R / 12,4" x 39,4"

224173 | **M77**



ACABADO BRILLO / GLOSS FINISH

Listelo de cristal / Glass body listel



LISTELO 1 x 100^R / 0,394" x 39,4"

Silver

218295 | **P23**

Gold

218294 | **P23**



ACABADO MATE / MATT FINISH



59,5 x 59,5^R / 23,4" x 23,4"

224168 | **M83**



RODAPIÉ

9,7 x 59,5 / 3,82" x 23,4"

224588 | **P24**

Da Vinci White



PULIDO / POLISHED



eoco

60 x 120^R / 23,6" x 47,2"

223883 | **M79**



eoco

120 x 120^R / 47,2" x 47,2"

223884 | **M86**



RODAPIÉ

9,7 x 60 / 3,82" x 23,6"

223885 | **P24**

Pesos y medidas

PACKING LIST

	PIEZAS CAJA PIEZES BOX	KG. CAJA KG. BOX	M ² CAJA S.Q.M. BOX	CAJA EUROPALET BOX EUROPALET	KG. EUROPALET KG. EUROPALET	M ² EUROPALET S.Q.M. EUROPALET
120 x 120 ^R	1	36,5	1,44	36	1349	51,84
60 x 120 ^R	2	35,07	1,44	32	1136,24	46,08
59,5 x 59,5 ^R	4	25,20	1,42	36	921,20	51,12
31,6 x 100 ^R	5	26,02	1,58	42	1112,84	66,36
Rodapié 9,7 x 60	14	18,02	9	50	901	450
Rodapié 9,7 x 59,5	14	19,04	0,81	50	952	40,5

La reproducción de los colores es aproximada debido a los sistemas de impresión. Los códigos de precios y referencias deben verificarse ya que puede haber errores tipográficos.
Given the printing systems in use, the colours reproduced herein are roughly equivalent to actual ones. Price code and product codes should be checked since there be typographical errors.

Consulten con el fabricante para adquirir peldaños
FOR STEPS PLEASE CONTACT THE MANUFACTURER

Iconos descriptivos

DESCRIPTIVE ICONS

M Precio por m² Porcelain
C Precio por caja Price per box
P Precio por unidad Price per unit
▽ Acabado pulido Polished finish

P Porcelánico Porcelain
☞ Revestimiento Wall tiles
▬ Pavimento Floor tiles
G Acabado brillo Gloss finish

eccc Pulido Polished
THE MIRROR OF NATURE

V2
Variación cromática leve
Slight Colour Variation

G3
Variación gráfica moderada
Slight Graphic Variation

Variación cromática
Shade Variation

V1 • G1 Uniforme
Uniform

V3 • G3 Variación media
Moderate variation

Variación gráfica
Graphic Variation

V2 • G2 Variación leve
Slight variation

V4 • G4 Variación alta
Strong variation

Certificaciones Colorker Group

COLORKER GROUP CERTIFICATIONS



UCRANIA
CERTIFICATION

Características técnicas

TECHNICAL FEATURES

	ISO 13006 UNE-EN 14411	DA VINCI ECCO
Longitud y anchura Length and width	± 0,6 %	± 0,1 %
Espesor Thickness	± 5,0 %	± 3,0 %
Rectitud de lados Straightness of sides	± 0,5 %	± 0,1 %
Ortogonalidad Rectangularity	± 0,5 %	± 0,2 %
Planitud de superficie Surface flatness	± 0,5 %	± 0,2 %
Absorción de agua Water absorption	E ≤ 0,5 %	Cumple Complais
Fuerza de rotura (N) Breaking strength	> 1300 N	Cumple Complais
Resistencia a la flexión (N/mm²) Modulus of rupture	> 35 N/mm ²	Cumple Complais
Resistencia al choque térmico Thermal shock resistance	Exigida Required	Resiste Resists
Resistencia al cuarteo Crazing resistance	Exigida Required	Resiste Resists
Resistencia a la helada Frost resistance	Exigida Required	Resiste Resists
Resistencia a productos de limpieza y aditivos para piscina Resistance to household chemicals and swimming pool salts	Valor declarado Declared value	GA
Resistencia a bajas concentraciones Resistance to low concentrations	Valor declarado Declared value	GLB
Resistencia a altas concentraciones Resistance to high concentrations	Valor declarado Declared value	GHB
Resistencia a las manchas Resistance to stains	> 3	Cumple Complais

Colorker®
Time to inspire



Colorker®



Loading Address / Expediciones
Partida dels Plans s/n
12592 Chilches - Castellón - Spain

Offices / Oficinas
Ctra. de Alcora, Km 21,3
12110 Alcora - Castellón - Spain

T. +34 964 36 16 16
info@colorker.com
colorker.com